



NutriStem : hES/iPSC maintenance medium


- Xeno-free
- High cloning efficiency
- Suitable for feeder-dependent and feeder-free cultures



Human H1 ES cell · Pa. 20



Expression of pluripotency markers



Comparison of growth speed

Publications

- Moschidou D, et al. (2013) Human mid-trimester amniotic fluid stem cells cultured under embryonic stem cell conditions with valproic acid acquire pluripotent characteristics. *Stem Cells Dev.* 22(3):444-58.
- Moschidou D, et al. (2012) Valproic acid confers functional pluripotency to human amniotic fluid stem cells in a transgene-free approach. *Mol Ther.* 20(10):1953-67.
- Bergström R, et al. (2011) Xeno-free culture of human pluripotent stem cells. *Methods Mol Biol.* 767:125-36.
- Lin G, Xu RH. (2010) Progresses and challenges in optimization of human pluripotent stem cell culture. *Curr Stem Cell Res Ther.* 5(3):207-14.

Product	Product No.	Quantity
NutriStem™ XF/FF Culture Medium	01-0005-100	100 ml
	01-0005	500 ml

CryoStem : hES/iPSC cryopreservation

- Xeno-free
- High cell viability and recovery

Publications

- Nishishita N, et al. (2012) Generation of virus-free induced pluripotent stem cell clones on a synthetic matrix via a single cell subcloning in the naïve state. *PLoS One.* 7(6):e38389.
- Pistolato F, et al. (2012) Standardization of pluripotent stem cell cultures for toxicity testing. *Expert Opin Drug Metab Toxicol.* 8(2):239-57.


Product	Product No.	Quantity
CryoStem™ Freezing Medium	01-0013-50	50 ml

hES Cell Cloning & Recovery Supplement

- Xeno-free
- Enhances cell attachment after passaging
- Increases single ES cell viability by more than 30 fold after thawing, dissociation and replating

Publications

- Hubbard JJ, et al. (2014) Efficient iPS Cell Generation from Blood Using Episomes and HDAC Inhibitors. *J Vis Exp.* (92).




Comparison of number of cells after treatment with trypsin (ALP staining) : Number of hES cell (H1) was markedly increased by adding this product to culture medium (NutriStem) after treatment with trypsin

Product	Product No.	Quantity
hES Cell Cloning & Recovery Supplement	01-0014-500	5 x 100 µl


StainAlive : Pluripotency markers for live human and mouse ES/iPS Cells

You can start observation just after 40 min!


- Simple, safe and reliable verification of ES and iPS cells.
- ReproCELL offers other simple, cost-effective methods for characterizing pluripotency, including Alkaline Phosphatase Staining Kits and an extensive portfolio of antibodies.



Stemgent StainAlive
SSEA-4 DyLight 550
(Cat. No. 09-0097)



Stemgent StainAlive
TRA-1-60 DyLight 488
(Cat. No. 09-0068)



Stemgent StainAlive
SSEA-1 DyLight 550
(Cat. No. 09-0095)

[Publications]

1. Durruthy Durruthy J, Sebastiano V. (2014) Derivation of GMP-Compliant Integration-Free hiPSCs Using Modified mRNAs. *Methods Mol Biol.*
2. Heng BC, Fussenegger M. (2014) Integration-Free Reprogramming of Human Somatic Cells to Induced Pluripotent Stem Cells (iPSCs) Without Viral Vectors, Recombinant DNA, and Genetic Modification. *Methods Mol Biol.* 1151:75-94.
3. Polak U, et al. Selecting and Isolating Colonies of Human Induced Pluripotent Stem Cells Reprogrammed from Adult Fibroblasts. *J Vis Exp.* (60). pii: 3416.
4. Tan HK, et al. (2014) Human Finger-Prick Induced Pluripotent Stem Cells Facilitate the Development of Stem Cell Banking. *Stem Cells Transl Med.* 3(5):586-98.
5. Chen MJ, et al. (2014) Reprogramming Adipose Tissue-Derived Mesenchymal Stem Cells into Pluripotent Stem Cells by a Mutant Adeno-Associated Viral Vector. *Hum Gene Ther Methods.* 25(1):72-82.
6. Athanasia D, et al. (2012) Retroviral Vector-Based Approaches for the Generation of Human Induced Pluripotent Stem Cells from Fibroblasts and Keratinocytes. *Springer Protocols Handbooks.* pp191-201

List of antibodies for pluripotency markers

	Product	Product No.	Quantity
For live cells	StainAlive™ SSEA-1 Antibody (DyLight™ 488), Mouse anti-Mouse/Human	09-0067	100 µl
	StainAlive™ SSEA-1 Antibody (DyLight™ 550), Mouse anti-Mouse/Human	09-0095	100 µl
	StainAlive™ SSEA-4 Antibody (DyLight™ 550), Mouse anti-Human	09-0097	100 µl
	StainAlive™ TRA-1-60 Antibody (DyLight™ 488), Mouse anti-Human	09-0068	100 µl
	StainAlive™ TRA-1-81 Antibody (DyLight™ 488), Mouse anti-Human	09-0069	100 µl
	StainAlive™ Mouse IgM, κ Isotype Control (DyLight™ 488)	09-0072	100 µl
For non-live cells	Stemgent® Alkaline Phosphatase Staining Kit	00-0009	50 assays
	Stemgent® Alkaline Phosphatase Staining Kit II	00-0055	50 assays
	Stemgent® Klf4 Antibody (Purified), Mouse anti-Mouse/Human	09-0021	100 µl
	Stemgent® Nanog Antibody (Affinity Purified), Rabbit anti-Mouse/Human	09-0020	100 µl
	Stemgent® Oct4 Antibody (Affinity Purified), Rabbit anti-Mouse/Human	09-0023	100 µl
	Stemgent® Pax6 Antibody (Purified), Rabbit anti-Mouse/Human	09-0075	100 µl
	Stemgent® Sox2 Antibody (Affinity Purified), Rabbit anti-Mouse/Human	09-0024	100 µl
	Stemgent® SSEA-1 Antibody (PE), Mouse anti-Mouse/Human	09-0001	1 ml
	Stemgent® SSEA-1 Antibody (Purified), Mouse anti-Mouse/Human	09-0005	100 µl
	Stemgent® SSEA-3 Antibody (PE), Rat anti-Human	09-0044	1 ml
	Stemgent® SSEA-3 Antibody (Purified), Rat anti-Mouse/Human	09-0014	100 µl
	Stemgent® SSEA-4 Antibody (PE), Mouse anti-Human	09-0003	1 ml
	Stemgent® SSEA-4 Antibody (Purified), Mouse anti-Human	09-0006	100 µl
	Stemgent® TRA-1-60 Antibody (PE), Mouse anti-Human	09-0009	1 ml
	Stemgent® TRA-1-60 Antibody (Purified), Mouse anti-Human	09-0010	100 µl
	Stemgent® TRA-1-81 Antibody (Purified), Mouse anti-Human	09-0011	100 µl
	Stemgent® Goat anti-Rabbit IgG Antibody (DyLight™ 488)	09-0034	200 µl

Inquiry

Email : info_jp@reprocell.com

For Research Use Only

Nutristem is a registered trademark of Biological Industries Ltd. Company Israel Kibbutz Beit Haemek ISRAEL 25115. For Research Use Only. Unless otherwise noted, ReproCELL, Inc. and ReproCELL, Inc. logo, Stemgent, Inc. and Stemgent, Inc. logo are the property of ReproCELL Inc. © 2014 ReproCELL, Inc. All rights reserved.

Distributor

ReproCELL, Inc.

KDX Shin-yokohama 381 Bldg 9F
3-8-11, Shin-yokohama, Kohoku-ku, Yokohama,
Kanagawa 222-0033, Japan
Tel:+81 (0) 45 475 3887 Fax:+81 (0) 45 474 1006

